CITY OF LINCOLN/LANCASTER COUNTY PLANNING STAFF REPORT

P.A.S.: Final Plat #02018 **Date:** November 4, 2002

Pine Lake Heights South 6th Addition

SCHEDULED PLANNING COMMISSION MEETING: November 13, 2002

PROPOSAL: A final plat consisting of 22 lots and two outlots.

LAND AREA: 13.93 acres more or less.

CONCLUSION: The final plat conforms to the approved preliminary plat.

RECOMMENDATION: Approval

GENERAL INFORMATION:

LEGAL DESCRIPTION: See legal description on the attached final plat.

LOCATION: Northeast of the intersection of South 27th Street and Yankee Hill Road.

OWNERS/

APPLICANTS: John Brager and Thomas White Ger

ald Schl eich

Ridge Development Co. Southview, Inc.

PO Box 22296 3901 Normal Boulevard Lincoln, NE 68542 Lincoln, NE 68506 (402) 421-1627 (402) 436-3111

CONTACT: Michael R. Johnson, Olsson Associates

1111 Lincoln Mall Lincoln, NE 68508 (402) 474-6311

EXISTING ZONING: R-3 Residential

EXISTING LAND USE: This site is undeveloped, but is being graded in anticipation of

construction.

SURROUNDING LAND USE AND ZONING:

North Residential R-3

South Vacant R-4, O-3, B-2

East Vacant R-3 West Vacant R-3, O-3

HISTORY: SAV#02008 - A petition to vacate a portion of O'Hanlon Drive consistent with the preliminary plat of Pine Lake Heights South 4th. This application has been scheduled for introduction at City Council on November 4, 2002.

FP#02008 - The final plat of Pine Lake Heights South 4th Addition was approved September 4, 2002.

PP#00029 - The preliminary plat for Pine Lake Heights South 4th was approved April 5, 2002.

CZ#3297 - Approved April 5, 2002, changed the zoning from R-4, B-2, and O-3 to R-3 for all land within the limits of the preliminary plat of Pine Lake Heights South 4th.

CZ#3298 - Approved April 5, 2002, changed the zoning from R-3 to R-4, B-2 and O-3 for those lands within the limits of the preliminary plat of Pine Lake Heights South 4th.

ANALYSIS:

1. The preliminary plat of Pine Lake Heights South 4th Addition revised the planned street layout in this area by terminating the west end of O'Hanlon Drive in a cul-desac, and by extending Grainger Parkway to South 27th Street. Grainger Parkway now serves as the access point into the development.

The only final plat approved for this development so far is Pine Lake Heights South 4th Addition. It left O'Hanlon Drive intact, but dedicated additional right-of-way to increase the width of O'Hanlon Drive at the intersection with South 27th Street to accommodate the street layout on the preliminary plat. The Pine Lake Heights South 6th Addition final plat creates the O'Hanlon Court cul-de-sac to provide for the extension of Grainger Parkway through the development, consistent with the preliminary plat. SAV#02008, scheduled for introduction at City Council on November 4, 2002, vacates that portion of the O'Hanlon Drive right-of-way no longer needed.

- 2. The final plat of Pine Lake Heights South 6th Addition conforms to the approved preliminary plat.
- 3. Executive orders have been approved for the completion of street paving, water mains, sanitary sewers, storm sewers, and ornamental street lighting. An escrow of

- security fund has been created to guarantee the completion of sidewalks, street trees, street name signs, and the installation of permanent markers.
- 4. There are no delinquent taxes against the land and there are no liens for taxes which have been levied but not yet delinquent and all special assessment installment payments are current.
- 5. A subdivision agreement is required and will be submitted to the owners for their signature.
- 6. The deed transferring the vacated O'Hanlon Drive right-of-way must be recorded with the Register of Deeds prior to this plat being recorded.

Prepared by:


Brian Will, AICP Planner

F:\FILES\Planning\PC\FP\02000\FP02018.Pine Lake Heights S 6th.bjw.wpd




Final Plat #02018
Pine Lake Heights South 6th Add.
27th & Yankee Hill Rd.





Final Plat #02018 Pine Lake Heights South 6th Add. 27th & Yankee Hill Rd.


Zoning: Residential District R-1 to R-8 One Square Mile Agricultural District AG AGR Agricultural Residential District Sec. 19 T9N R7E R-C O-1 O-2 O-3 R-T Residential Convervation District Office District Suburban Office District Office Park District Residential Transition District Local Business District Planned Neighborhood Business District Commercial District Lincoln Center Business District Planned Regional Business District Interstate Commercial District Highway Business District Highway Commercial District Zoning Jurisdiction Lines General Commercial District Industrial District Industrial Park District Employment Center District Public Use District City Limit Jurisdiction m:\plan\arcview\02_fp\fp02018



PINE LAKE HEIGHTS SOUTH 6TH ADDITION

FINAL PLAT

THIS PLAT IS BASED UPON PRELIMINARY PLAT



PINE LAKE HEIGHTS SOUTH 6TH ADDITION

SURVEYORS CERTIFICATE

I HEREBY CERTIFY THAT I HAVE CAUSED TO BE SURVEYED THE SUBDIVISION TO BE KNOWN AS PINE LAKE HEIGHTS SOUTH 6TH ADDITION, A SUBDIVISION COMPOSED OF OUTLOT "D" PINE LAKE HEIGHTS SOUTH 4TH ADDITION, LOTS 26 THROUGH 31 BLOCK 3 PINE LAKE HEIGHTS SOUTH 3RD ADDITION, AND A PORTION OF VACATED O'HANLON DRIVE RIGHT-OF-WAY, ALL LOCATED IN THE SOUTHWEST GUARTER OF SECTION 19, TOWNSHIP 9 NORTH, RANGE 7 EAST OF THE 6TH, P.M., CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, AND MORE PARTICULARLY DESCRIBED AS FOLLOWS:

COMMENCING FROM THE SOUTHEAST CORNER OF SAID OUTLOT "D" PINE LAKE HEIGHTS SOUTH 4TH ADDITION, SAID POINT BEING THE TRUE POINT OF BEGINNING, THENCE ON AN ASSUMED BEARING OF NORTH 67 DEGREES 17 MINUTES 45 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D". A DISTANCE OF 398.50 FEET TO THE POINT OF CURVATURE, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 467,00 FEET, ARC LENGTH OF 306.35 FEET, DELTA ANGLE OF 37 DEGREES 35 MINUTES D9 SECONDS. A CHORD BEARING OF NORTH 86 DEGREES OS MINUTES 19 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "O". AND A CHORD LENGTH OF 300.89 FEET TO A POINT OF REVERSE CURVATURE. THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 833.00 FEET, ARC LENGTH OF 178.69 FEET, DELTA ANGLE OF 12 DEGREES 17 MINUTES 26 SECONDS, A CHORD BEARING OF SOUTH BY DEGREES 15 MINUTES 50 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 178.35 FEET TO A POINT, THENCE SOUTH GO DEGREES 19 MINUTES 13 SECONDS EAST ALONG A EAST LINE OF SAID OUTLOT "D". A DISTANCE OF 19.65 FEET TO A POINT, THENCE SOUTH 89 DEGREES 40 MINUTES 47 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D". A DISTANCE OF 66.00 FEET TO A POINT. THENCE NORTH DO DEGREES 19 MINUTES 13 SECONDS WEST ALONG A WEST LINE OF SAID OUTLOT "D". A DISTANCE OF 19.65 FEET TO A POINT, THENCE ALONG A CURVE IN A CLOCKINSE DIRECTION, HAVING A RADIUS OF 833.00 FEET, ARC LENGTH OF 163.58 FEET, DELTA ANGLE OF 11 DEGREES 15 MINUTES OF SECONDS, A CHORD BEARING OF NORTH 82 DEGREES 25 MINUTES 27 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 163.32 FEET TO A POINT, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, MAYING A RADIUS OF 840.20 FEET, ARC LENGTH OF 551.78 FEET, DELTA ANGLE OF 37 DEGREES 37 MINUTES 40 SECONDS, A CHORD BEARING OF NORTH 59 DEGREES 29 MINUTES 59 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 541.92 FEET TO A POINT, THENCE SOUTH 50 DEGREES 48 MINUTES 07 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", A DISTANCE OF 11.00 FEET TO A POINT, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 859.00 FEET. ARC LENGTH OF 43.53 FEET, DELTA ANGLE OF 02 DEGREES 54 MINUTES 12 SECONDS, A CHORD BEARING OF NORTH 37 DEGREES 44 MINUTES 47 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 43.52 FEET TO A POINT OF REVERSE CURVATURE, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 241.00 FEET, ARC LENGTH OF 149.02 FEET, DELTA ANGLE OF 35 DEGREES 25 MINUTES 41 SECONDS, A CHORD BEARING OF NORTH 54 DEGREES OD MINUTES 32 SECONDS WEST ALONG A SOUTH LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 146.66 FEET TO A WEST CORNER OF SAID OUTLOT "D". THENCE NORTH 18 DEGREES 16 MINUTES 38 SECONDS EAST ALONG A WEST LINE OF SAID OUTLOT "D", A DISTANCE OF 38.24 FEET TO A NORTHWEST CORNER OF SAID OUTLOT "D", THENCE SOUTH 85 DEGREES 49 MINUTES 37 SECONDS WEST ALONG A SOUTH LINE OF VACATED O'HANLON DRIVE RIGHT-OF-WAY, A DISTANCE OF 28.23 FEET TO A POINT OF INTERSECTION WHITH THE EXTENSION OF THE EAST RIGHT-OF-WAY LINE OF SOUTH 28TH STREET. THENCE NORTH OI DEGREES OB MINUTES 18 SECONDS WEST ALONG THE EAST LINE OF SAID SOUTH 28TH STREET RIGHT-OF-WAY AND ITS EXTENSION, A DISTANCE OF 155.45 FEET TO A POINT CURVATURE; THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAVING A RADIUS OF 630.00 FEET, ARC LENGTH OF 37.72 FEET, DELTA ANGLE OF 03 DEGREES 25 MINUTES 49 SECONDS, A CHORD BEARING OF NORTH 02 DEGREES 51 MINUTES 12 SECONDS WEST ALONG THE EAST LINE OF SAID RIGHT-OF-WAY, AND A CHORD LENGTH OF 37.71 FEET TO THE NORTHEAST CORNER OF LOT 2, BLOCK 2, OF PINE LAKE HEIGHTS SOUTH 2ND ADDITION; THENCE NORTH 85 DEGREES 25 MINUTES 54 SECONDS EAST ALONG THE NORTH LINE OF SAID LOT 2, A DISTANCE OF 84.62 FEET TO THE NORTHEAST CORNER OF SAID LOT

FINAL PLAT
THIS PLAT IS BASED UPON PRELIMINARY PLAT
NO. 00029 FOR PINE LAKE HEIGHTS SOUTH 4TH ADDITION

2, THENCE NORTH 80 DEGREES 12 MINUTES 24 SECONDS EAST ALONG THE NORTH LINE OF LOT 31 BLOCK 3 PINE LAKE HEIGHTS SOUTH 3RD ADDITION, A DISTANCE OF 12.33 FEET TO A POINT. THENCE NORTH 79 DEGREES 56 MINUTES 55 SECONDS EAST ALONG THE NORTH LINE OF SAID LOT 31, AND LOTS 30 THROUGH 27, BLOCK 2 PINE LAKE HEIGHTS SOUTH JRO ADDITION, A DISTANCE OF 308.42 FEET TO THE NORTHEAST CORNER OF SAID LOT 27, THENCE NORTH 84 DEGREES 20 MINUTES 52 SECONDS EAST ALONG THE NORTH LINE OF LOT 26 BLOCK 2 PINE LAKE HEIGHTS SOUTH 3RD ADDITION, A DISTANCE OF 83.27 FEET TO THE NORTHEAST CORNER OF SAID LOT 26. A DISTANCE OF 53.27 FEET TO THE NORTHEAST CORNER OF SAID LOT 20.

THENCE SOUTH 05 DEGREES 40 MINUTES 14 SECONDS EAST ALONG THE
EAST LINE OF SAID LOT 26. A DISTANCE OF 118.17 FEET TO THE SOUTHEAST
CORNER OF SAID LOT 26. THENCE ALONG A CURVE IN A COUNTER
CLOCKIMSE DIRECTION, HAVING A RADIUS OF 1,030.00 FEET, ARC LENGTH OF 49.14 FEET, DELTA ANGLE OF 02 DEGREES 44 MINUTES 00 SECONDS, A CHORD BEARING OF SOUTH 82 DEGREES 57 MINUTES 46 SECONDS WEST ALONG THE SOUTH LINE OF SAID LOT 28, AND A CHORD LENGTH OF 49.13 FEET TO A POINT, THENCE SOUTH OB DEGREES 24 MINUTES 14 SECONDS EAST ALONG THE EAST LINE OF VACATED O'HANLON DRIVE RIGHT-OF-WAY. A DISTANCE OF 60.00 FEET TO A POINT OF INTERSECTION WITH THE NORTH LINE OF OUTLOT "D" PINE LAKE HEIGHTS SOUTH 4TH ADDITION, THENCE ALONG A CURVE IN A CLOCKMISE DIRECTION, HAVING A RADIUS OF 970.00 FEET, ARC LENGTH OF 178.07 FEET, DELTA ANGLE OF 10 DEGREES 31 MINUTES D5 SECONDS, A CHORD BEARING OF NORTH 86 DEGREES 51 MINUTES 19 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "O", AND A CHORO LENGTH OF 177.82 FEET TO A POINT OF TANGENCY, THENCE SOUTH 87 DEGREES 53 MINUTES 09 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "D", A DISTANCE OF 177.03 FEET TO A POINT OF CURVATURE, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION. HANNE A RADIUS OF 530.00 FEET, ARC LENGTH OF 185.50 FEET DELTA ANGLE OF 20 DEGREES 0.3 MINUTES 14 SECONDS, A CHORD BEARING OF NORTH 82 DEGREES 0.5 MINUTES 14 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "D". AND A CHORD LENGTH OF 184.56 FEET TO A POINT, THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 275.00 FEET, ARC LENGTH OF 151.42 FEET, DELTA ANGLE OF 31 OCCREES 32 MINUTES 55 SECONDS, A CHORD BEARING OF NORTH B7 DEGREES 50 MINUTES OS SECONOS EAST ALONG A NORTH LINE OF SAID OUTLOT "D' AND A CHORD LENGTH OF 149.52 FEET TO A POINT OF TANGENCY, THENCE SOUTH 76 DEGREES 23 MINUTES 28 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "D", A DISTANCE OF 73.29 FEET TO A NORTHEAST CORNER OF SAID OUTLOT "D", THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 620.00 FEET, ARC LENGTH OF 30.00 FEET, DELTA ANGLE OF 02 DEGREES 46 MINUTES 22 SECONDS, A CHORD BEATHOR OF SOUTH 23 DECREES 01 MINUTES 45 SECONDS WEST ALONG A EAST UNE OF SAID OUTLOT "O", AND A CHORD LENGTH OF 30.00 FEET TO A POINT, THENCE SOUTH 65 DEGREES 35 MINUTES 04 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "D", A DISTANCE OF 60.00 FEET TO A NORTHEAST CORNER OF SAID OUTLOT "D", THENCE ALONG A CURVE IN A CLOCKWISE DIRECTION, HAVING A RADIUS OF 680,00 FEET, ARC LENGTH OF 69.33 FEET, DELTA ANGLE OF 05 DEGREES 50 MINUTES 29 SECONDS, A CHORD BEARING OF SOUTH 27 DEGREES 20 MINUTES 11 SECONDS WEST ALONG A EAST LINE OF SAID OUTLOT "D". AND A CHORD LENGTH OF 69.30 FEET TO A POINT OF REVERSE CURVATURE, THENCE ALONG A CURVE IN A COUNTER CLOCKWISE DIRECTION, HAWING A RADIUS OF 370.00 FEET, ARC LENGTH OF 208.19 FEET, DELTA ANGLE OF 32 DEGREES 14 MINUTES 19 SECONDS, A CHORO BEARING OF SOUTH 14 DEGREES 08 MINUTES 15 SECONDS WEST ALONG A EAST LINE OF SAID OUTLOT "D", AND A CHORD LENGTH OF 205.45 FEET TO A POINT OF TANGENCY. THENCE SOUTH OF DEGREES 58 MINUTES 54 SECONDS EAST A LONG A EAST LINE OF SAID OUTLOT "D", A DISTANCE OF 122.37 FEET TO A POINT, THENCE ALONG A CURVE IN A CLOCKMSE DIRECTION, HAVING A RADIUS OF 533.00 FEET, ARC LENGTH OF 199.63 FEET, DELTA ANGLE OF 21 DEGREES 27 MINUTES 34 SECONDS, A CHORD BEARING OF SOUTH 78 DEGREES OI MINUTES 31 SECONDS EAST A LONG A NORTH LINE OF SAID DUTLOT "D". AND A CHORD LENGTH OF 198.46 FEET TO A POINT OF TANGENCY, THENCE SOUTH 67 DEGREES 17 MINUTES 45 SECONDS EAST ALONG A NORTH LINE OF SAID OUTLOT "O", A DISTANCE OF 398.60 FEET TO A NORTHEAST CORNER OF SAID OUTLOT "O", THENCE SOUTH 22 GEGREES 42 MINUTES 15 SECONDS WEST ALONG A EAST LINE OF SAID OUTLOT "D". A DISTANCE OF 66.00 FEET TO THE POINT OF BEGINNING, SAID TRACT CONTAINS A CALCULATED AREA OF 606,591.04 SQUARE FEET OR 13.93 ACRES. MORE OR LESS.

PERMANEAT MONUMENTS HAVE BEEN FOUND OR SET AT ALL BOUNDARY CORNERS, STREET INTERSECTIONS, BLOCK CORNERS, POINTS OF TANGENCY AND CURVATURE AS SHOWN ON THE PLAT IN ACCORDANCE WITH TITLE 26 OF THE LINCOLN MUNICIPAL CODE. TEMPORARY MARKERS HAVE BEEN PLACED AT ALL LOT CORNERS AND THE OWNER MILL FURNISH TO THE CITY OF LINCOLN A STAKING BOND TO INSURE THE PLACING OF PERMANENT MONUMENTS AT ALL SUCH LOT GORNERS PRIOR TO THE CONSTRUCTION ON OR CONVEYANCE OF ANY LOT SHOWN ON THIS FINAL PLAT. ALL DIMENSIONS ARE CHORD MEASUREMENTS UNLESS OTHERWISE SHOWN, AND ARE IN FEET AND DECIMALS OF A FOOT.

DATE

MICHAEL R. JOHNSON OLSSON ASSOCIATES 1111 LINCOLN MALL LINCOLN, NE. 58508

L.S. NUMBER



DEDICATION

THE FOREGOING PLAT, IS KNOWN AS PINE LAKE HEIGHTS SOUTH 6TH ADDITION, A SUBDIMISION COMPOSED OF OUTLOT "D" PINE LAKE HEIGHTS SOUTH 4TH ADDITION, LOTS 26 THROUGH 31 BLOCK 3 PINE LAKE HEIGHTS SOUTH 3RD ADDITION, LOTS 26 THROUGH 31 BLOCK 3 PINE LAKE HEIGHTS SOUTH 3RD ADDITION, AND A PORTION OF VACATED O'HANLON DRIVE RIGHT-OF-WAY, ALL LOCATED IN THE SOUTHWEST QUARTER OF SECTION 19 TOWNSHIP 9 NORTH, RANGE 7 EAST OF THE 6TH PM, CITY OF LINCOLN, LANCASTER COUNTY, NEBRASKA, AND IS MORE PARTICULARLY DESCRIBED IN THE SURVEYOR'S CERTIFICATE. THIS DEDICATION IS MADE WITH THE FREE CONSENT AND IN ACCORDANCE WITH THE DESIRES OF THE UNDERSIGNED, SOLE OWNER(S), AND THE EASEMENTS SHOWN THERON ARE HEREBY GRANTED IN PETPETUITY TO THE CITY OF LINCOLN, NEBRASKA, A MUNICIPAL CORPORATION, ALLTEL, TIME WARNER ENTERTAINMENT — ADVANCE/NEWHOUSE, AQUILA, THEIR SUCCESSORS AND ASSIGNS, TO ALLOW ENTRY FOR THE PURPOSE OF CONSTRUCTION, RECONSTRUCTION, REPLACEMENT, REPLAIR, OPERATION AND MAINTENANCE OF WIRED, CABLES, CONDUITS, FIXTURES, POLES, TOWERS, PIPES, AND FQUIPMENTFOR THE DISTRIBUTION OF ELECTRICITY AND CAS; TELEPHONE AND CABLE TELEVISION; WASTEWATER COLLECTIORS; STORM DRAINS; WATER MAINS AND ALL APPURTENANCES THERETO, OVER. LIPON. OR UNDER THE EASEMENTS AS SHOWN ON THE FOREGOING PLAT

THE CONSTRUCTION OR LOCATION OF ANY BUILDING OR STRUCTURE, EXCLUDING FENCES, OVER, UPON, OR UNDER ANY EASEMENT SHOWN THEREON SHALL BE PROPUBLICO.

THE CONSTRUCTION OR LOCATION OF ANY FENCE OR OTHER IMPROVEMENT WHICH OBSTRUCTS DRAINAGE SHALL BE PROHIBITED OVER, UPON, OR UNDER ANY STORM DRAIN EASEMENT OR DRAINAGE EASEMENT SHOWN THEREON.

THE CITY OF LINCOLN, ITS SUCCESSORS OR ASSIGNS ARE HEREBY HELD HARNLESS FOR THE COST OF REPLACEMENT OR DAMAGE TO ANY IMPROVEMENT OR VEGETATION OVER, UPON, OR UNDER ANY EASEMENT SHOWN THEREON.

THE STREETS SHOWN ARE HEREBY DEDICATED TO THE PUBLIC. THE ACCESS EASEMENTS AND THE PEDESTRIAN WAY EASEMENTS SHOWN THEREON SHALL BE USED FOR PUBLIC ACCESS AND THE PUBLIC IS HEREBY GRANTED THE RIGHT OF SILEN LISE

THE RIGHT OF DIRECT VEHICULAR ACCESS TO GRAINGER PARKWAY FROM LOTS ABUTTING SAID STREET(S) IS HEREBY RELINQUISHED.

PINE LAKE HEIGHTS SOUTH 6TH ADDITION

FINAL PLAT

THIS PLAT IS BASED UPON PRELIMINARY PLAT NO. 00029 FOR PINE LAKE HEIGHTS SOUTH 4TH ADDITION

	770. 00023 1010	ACKNOWLEDGMENT OF NOTARY	THE REGISTER OF DEEDS OF LANCASTER COUNTY, NEBRASKA, AS INSTRUMENT NO. HEREINAFTER "UEN"), DOES HEREBY CONSENT TO THE DEDICATION OF AND SUBORDINATE THE LIEN TO ANY UTILITY (SEWER, WATER, ELECTRIC, CABLE TY, TELEPHONE, NATURAL GAS) EASEMENTS, OR STREETS, OR
MITNESS MY HAND THIS		STATE OF NEBRASKA COUNTY OF LANCASTER	ROADS, PEDESTRIAN WAY EASEMENTS, AND ACCESS EASEMENTS AND RELINQUISHMENTS OF ACCESS, DEDICATED TO THE PUBLIC, ALL AS SHOWN ON THE PLAT, BUT NOT OTHERWISE. THE UNDERSIGNED CONFIRMS THAT IT IS THE HOLDER OF THE LIEN AND HAS NOT ASSIGNED THE LIEN TO ANY OTHER
THOMAS E. WHITE, PRESIDENT, DEVELOPMENT DIVISION RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION	NAME: TITLE: DON JOHNSON HOMES INC., A NEBRASKA CORPORATION	ON THISDAY OF, 20, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME GERALD L. SCHLEICH WHO IS PERSONALLY KNOWN TO ME TO BE THE DENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESIDENT OF SOUTHWEW INC., A NEBRASKA CORPORATION AND HE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED OF SAID COMPANY.	PERSON. NAME OF BANK PINNACLE BANK BY: NAME: DILE: DILE: LYNNETTE NELSON TITLE: LOAN OFFICER AND ESCROW AGENT
IOHN C. BRAGER, PRESIDENT, CONSTRUCTION DIVISION RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION	NAME: TITLE: CHERRY HILL MOMES INC.,	NOTARY PUBLIC	NAME OF BANK
		ACKNOWLEDGMENT OF NOTARY	6Y:
CERALD L. SCHLEICH, PRESIDENT, SOUTH VIEW INC.,		STATE OF NEBRASKA COUNTY OF LANCASTER	NAME:
ACKNOWLEDGMENT OF NOTARY STATE OF NEBRASKA COUNTY OF LANCASTER ON THIS DAY OF, 20, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY		ON THISDAY OF, 20, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME NAME. AME WHO IS PERSONALLY KNOWN TO ME TO BE THE IDENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESIDENT OF DON JOHNSON HOMES INC., A NEBRASKA CORPORATION AND HE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED OF SAID COMPANY.	ACKNOWLEDGMENT OF NOTARY STATE OF NEBRASKA COUNTY OF LANCASTER THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS DAY OF
AND STATE, PERSONALLY CAME THOMAS E. WHITE WHO IS PERSONALLY KNOWN TO ME TO BE THE IDENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESIDENT OF DEVELOPMENT DIVISION, RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION AND HE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED OF SAID COMPANY. NOTARY PUBLIC		ACKNOWLEDGMENT OF NOTARY STATE OF NEBRASKA COUNTY OF LANCASTER ON THIS DAY OF, 20, BEFORE ME, THE UNDERSIGNED, A NOTARY PUBLIC, DULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME NAME	NOTARY PUBLIC ACKNOWLEDGMENT OF NOTARY STATE OF NEBRASKA COUNTY OF LANCASTER NEE FOR COUNCY WINTERWAY AND ARRIVED FOR DEFEND OF THE PUBLICATION.
ACKNOWLEDGMENT OF NOTARY		AND STATE, PERSONALLY CAME NAME KNOWN TO ME TO BE THE IDENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESIDENT OF CHERRY HILL HOMES INC., AND HE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED OF SAID COMPANY.	THE FOREGOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS DAY OF 2OBY NAME BANK, ON BEHALF OF SAID (BANK)
STATE OF NEBRASKA COUNTY OF LANCASTER			WAYAON DUDING
ON THISOAY OFZO, BEFORE ME, THE UNDERSICNED, A NOTARY PUBLIC, OULY COMMISSIONED, QUALIFIED IN AND FOR SAID COUNTY AND STATE, PERSONALLY CAME JOHN C. BRAGER WHO IS PERSONALLY KNOWN TO ME TO BE THE IDENTICAL PERSON WHOSE NAME IS AFFIXED TO THIS PLAT AS PRESONENT OF CONSTRUCTION DIVISION, RIDGE DEVELOPMENT COMPANY, A NEBRASKA CORPORATION AND NE ACKNOWLEDGES THE EXECUTION THEREOF TO BE HIS VOLUNTARY ACT AND DEED AND THE VOLUNTARY ACT AND DEED AS EADL COURS AND THE MEDITARY ACT AND		NOTARY PUBLIC PLANNING COMMISSION APPROVAL	ACKNOWLEDGMENT OF NOTARY STATE OF NEBRASKA COUNTY OF LANCASTER THE FORECOING INSTRUMENT WAS ACKNOWLEDGED BEFORE ME THIS
DEED OF SAID COMPANY. NOTARY PUBLIC		THE LINCOLN-LANCASTER COUNTY PLANNING COMMISSION HAS APPROVED THIS FINAL PLAT AND ACCEPTED THE OFFER OF DEDICATION ON THIS DAY OF DAY OF DAY DAY OF DAY ESSENTINGN ON DAY	DAY OF 20 BY NAME TITLE

ATTEST; _____CHAIR

200096-3

NOTARY PUBLIC

LIEN HOLDER CONSENT AND SUBORDINATION

THE UNDERSIGNED, HOLDER OF THAT CERTAIN LIEN AGAINST THE REAL PROPERTY DESCRIBED IN THE PLAT KNOWN AS PINE LAKE HEIGHTS SOUTH 6TH ADDITION (HEREINAFTER "PLAT"), SAID LIEN BEING RECORDED IN THE OFFICE OF